




Gray Catbird

Hatching
year


- – juvenile feather
- – formative feather
- – basic feather
- PJ – prejuvenile molt
- PF – preformative molt
- PB – prebasic molt

FPJ




WRP= FCJ

FPF




WRP= FCF

Second
calendar
year




WRP= FCF




WRP= FCF

SPB




WRP= DCB

Subsequent
years




WRP= DCB



WRP= DCB

DPB



WRP= DCB

Gray Catbird, spring



Photo: Peter Pyle

J

L

Gray Catbird, spring

J

L

J

Photo: Peter Pyle



A close-up photograph of a Gray Catbird's wing, showing a series of feathers in different stages of molt. The feathers are arranged in a fan-like pattern. The left side shows older, brownish feathers (J), while the right side shows newer, grayish feathers (L). The transition zone in the middle shows feathers in the process of molting (J). A human hand is visible on the right, holding the wing. The background is blurred green foliage.

J

L

Gray Catbird, spring

J

L

J

WRP = FCF

Photo: Peter Pyle




Yellow Warbler

Hatching
year


- – juvenile feather
- – formative feather
- – alternate feather
- – basic feather
- PJ – prejuvenile molt
- PF – preformative molt
- PA – prealternate molt
- PB – prebasic molt

FPJ



WRP= FCJ


FPF




WRP= FCF

Second
calendar
year

FPA




WRP= FCF



WRP= FCA


SPB




WRP= DCB

Subsequent
years

DPA




WRP= DCB



WRP= DCA

DPB



WRP= DCB

Yellow Warbler, summer



Photo: OMEI/IBP Boreal MAPS

Yellow Warbler, summer

Ignore alternate feathers when scoring a tract unless the entire tract is alternate.





Photo: OMEI/IBP Boreal MAPS

Yellow Warbler, summer

Ignore alternate feathers when scoring a tract unless the entire tract is alternate.



WRP = FCA



Photo: OMEI/IBP Boreal MAPS




Common Yellowthroat

Hatching year


- – juvenile feather
- – formative feather
- – alternate feather
- – basic feather
- PJ – prejuvenile molt
- PF – preformative molt
- PA – prealternate molt
- PB – prebasic molt

FPJ



WRP= FCJ


FPF




WRP= FCF

Second calendar year

FPA




WRP= FCF



WRP= FCA


SPB




WRP= DCB

Subsequent years

DPA




WRP= DCB



WRP= DCA

DPB



WRP= DCB

Common Yellowthroat, July



Photo: OMEI/IBP Boreal MAPS



Common Yellowthroat, July

Photo: OMEI/IBP Boreal MAPS

Common Yellowthroat, July



WRP = FCJ

Photo: OMEI/IBP Boreal MAPS




Song Sparrow

Hatching year


- – juvenile feather
- – formative feather
- – basic feather
- PJ – prejuvenile molt
- PF – preformative molt
- PB – prebasic molt

FPJ




WRP= FCJ

FPF




WRP= FCF

Second calendar year




WRP= FCF




WRP= FCA

SPB




WRP= DCB

Subsequent years




WRP= DCB



WRP= DCA

DPB



WRP= DCB

Song Sparrow, June



Photo: OMEI/IBP Boreal MAPS

Song Sparrow, June



Photo: OMEI/IBP Boreal MAPS

Song Sparrow, June



WRP = DCB


Photo: OMEI/IBP Boreal MAPS




Downy Woodpecker

Hatching
year


FPJ




FPF




Second
calendar
year




SPB




Third
calendar
year




TPB



Fourth
calendar
year



DPB



Downy Woodpecker, July



Photo: OMEI/IBP Boreal MAPS

Downy Woodpecker, July

**Ignore feathers in active molt
when scoring a tract.**





Photo: OMEI/IBP Boreal MAPS

Downy Woodpecker, July

**Ignore feathers in active molt
when scoring a tract.**



WRP = TPB

Photo: OMEI/IBP Boreal MAPS